












Glaciers_cci Phase 1 results: The CRG perspective

F. Paul*, the CRG and the
Glaciers_cci consortium

*Department of Geography, University of Zurich



Publications cited in IPCC AR5

- Arendt, A. et al. (2012): Randolph Glacier Inventory [v2.0]: A Database of Global Glacier Outlines, Boulder, Colorado, Digital Media.
- Bolch, T., Kulkarni, A., Kääb, A., Huggel, H., Paul, F., Cogley, J.G., Frey, H., Kargel, J.S., Fujita, K., Scheel, M., Borchers, S. and Stoffen, M. (2012): The state and fate of Himalayan glaciers. *Science*, 336, 310-314.
- Bolch, T., Sarason, L., Mölg, N., Rastner, M., Machguth, H. and Paul, F. (2013): Mass loss of Greenland's glaciers and ice caps 2003-2008 revealed from ICESat data. *Geophysical Research Letters*, 40, 875-881.
- Gardner, A.S., G. Moholdt, J.G. Cogley, B. Wouters, A.A. Arendt, J. Wahr, E. Berthier, R. Cook, W.T. Pfeffer, G. Kaser, S.R.N. Luginbuhl, T. Bolch, M.J. Shap, J.D. Hagen, M.R. van den Broeke and F. Paul (2013): A consensus estimate of glacier contributions to sea level rise: 2003 to 2009. *Science*, 340 (6134), 852-857.
- Giesen, R.H. and Oerlemans, J. (2011): Climate-model induced differences in the 21st century global and regional glacier contributions to sea-level rise. *Climate Dynamics*.
- Gristed, A. (2013): An estimate of global glacier volume. *The Cryosphere*, 7, 141-151.
- Hirokoshi, Y., Zhang, Y., Watanabe, S., Korota, S. and Kanoe, S. (2013): Projection of glacier mass changes under a high-emission climate scenario using the global glacier model HYOGA2. *Hydrological Research Letters*, 7, 6-11.
- Hug, T. and Kääb, A. (2012): Repeat optical satellite images reveal widespread and long term decrease in land-terminating glacier speeds. *The Cryosphere*, 6, 467-478.
- Huss, M. and D. Farinotti (2012): Distributed ice thickness and volume of 180,000 glaciers around the globe. *Journal of Geophysical Research*, 117, F04010.
- Jacob, T., J. Wahr, W. T. Pfeffer, and S. Swenson. (2012): Recent contributions of glaciers and ice caps to sea level rise. *Nature*, 482, 514-518.
- Kääb, A., Berthier, E., Nuth, C., Gardelle, J. and Arnaud, Y. (2012): Contrasting patterns of early 21st century glacier mass change in the Hindu Kush - Karakoram - Himalaya. *Nature*, 482, 495-498.
- Marzson, B., A. H. Jansson, and M. Hofer (2012): Past and future sea-level change from the surface mass balance of glaciers. *The Cryosphere*, 6, 1295-1322.
- Radic, V., A. Bliss, A. C. Beetham, R. Healy, E. Miles, and J.G. Cogley (2013): Regional and global projections of the 21st century glacier mass changes in response to climate scenarios from GCMs. *Climate Dynamics*.
- Rastner, F., T. Bolch, N. Mölg, H. Machguth, H. Le Bris and F. Paul (2012): The first complete inventory of the local glaciers and ice caps on Greenland. *The Cryosphere*, 6, 1483-1495.

Red: studies using the RGI in their applications

Further Glaciers_cci publications

Andreasen, L.M., Linnvold, S.H., Paul, F. and Heusinger, J.E. (2012): Inventory of Norwegian Glaciers. Norwegian Water Resources and Energy Directorate, Report 38-2012, 240 pp.

Bhanoti, R., Bolch, T., Kulkarni, P., Dabhi, D.P., Srivastava, D., Pratap, B. (2012): Heterogeneity in glacier response in the Shyok valley, northwest Karakoram. *The Cryosphere*, 7, 1384-1398.

Debellis-Gilo, M. and Kääb, A. (2012a): Locally adaptive template sizes for matching repeat images of Earth surface mass movements. *ISPRS Journal of Photogrammetry and Remote Sensing*, 69, 110-28.

Debellis-Gilo, M. and Kääb, A. (2012b): Measurement of surface displacement and deformation of mass movements using least squares matching of repeat high-resolution satellite and aerial images. *Altimetry*, 42(1), 42-67.

Gardelle, J., Berthier, E., Arnaud, Y., Kääb, A.: Region-wide glacier mass balances over the Pamir-Karakoram-Himalaya during 1999-2011. *The Cryosphere*, 7, 1263-1286.

Heid, T. and Kääb, A. (2012a): Evaluation of existing image matching methods for deriving glacier surface displacements globally from optical satellite imagery. *Remote Sensing of Environment*, 118, 339-355.

Helmer, R., C. Merziani, R. Saunders, C. Dowdy, and J. others (2013): The Eisk Climate Change Initiative: satellite data records for essential climate variables. *Bulletin of the American Meteorological Society*, 94 (10), 1541-1552.

Nuth, C. and Kääb, A. (2011): Co-registration and bias corrections of satellite elevation data sets for quantifying glacier change. *The Cryosphere*, 5, 271-290.

Nuth, C., Schuler, T.V., Kohler, J., Albers, B. and Hagen J.O. (2012): Estimating the long term calving flux of Kronenbrunn, Swabland, from geodesic elevation changes and mass balance modelling. *Journal of Glaciology*, 58 (C07), 119-133.


Paul, F., N. Berard, S. Baumann, E. Berthier, T. Bolch, K. Casey, H. Frey, S.P. Joshi, V. Koronolov, R. Le Bris, N. Mölg, G. Rostromo, C. Nuth, A. Ropp, A. Scarso, P. Rastner, B. Raup, M. Scharrer, S. Stoffen and S. Wernli (2013): On the accuracy of glacier outlines derived from remote sensing data. *Annals of Glaciology*, 54 (63), 171-182.

Paul, F. and 24 others (in press): The Glaciers Climate Change Initiative: Algorithms for creating glacier area, elevation change and velocity products. *Remote Sensing of Environment*.

Pfeffer, W.T. and 19 others (in press): The Randolph Glacier Inventory: a globally complete inventory of glaciers. *Journal of Glaciology*.

Pieczonka, T., Bolch, T., Wei, J. and Liu, S. (2013): Heterogeneous mass loss of glaciers in the Aka-Tarim Catchment (Central Tien Shan) revealed by 1978 KH-9 Hexagon and 2009 SPOT-5 stereo imagery. *Remote Sensing of Environment*, 130, 233-244.

Rastner, F., T. Bolch, C. Natarajadas and F. Paul (in press): A comparison of dual- and object-based glacier classification with optical satellite images. *Journal of Selected Topics in Applied Earth Observations and Remote Sensing*.



Summary of CCI internal results

- Algorithms were intensively tested, validated and selected
- A comprehensive multi-stage process of uncertainty characterization is proposed for each product
- Though the key product (RG1) has still quality shortcomings, it was widely applied for new studies related to IPCC AR5
- 7 publications from Glaciers_cci and 7 based on our products were cited in AR5, 14 further publications were accomplished
- Further automation of algorithms and increased product consistency is possible and will be addressed in Phase 2
- The IPCC is happy, the data users and the CRG are happy, and hopefully ESA is happy as well ...